



**THE HARYANA STATE COOPERATIVE SUPPLY
AND MARKETING FEDERATION LIMITED**

CORPORATE OFFICE, SECTOR 5, PANCHKULA HARYANA (INDIA)
TEL: 2590520-24, FAX: 2590711 E-mail: hafed@hry.nic.in
Web-site: www.hafed.gov.in



No. Hafed/EE (HQ)/Drg./4879

Dated: 29.03.2013

Short Notice Inviting Tenders -

Tenders are hereby invited for the following work:

Sr. No	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Time Limit
1.	Construction of CC Ramp and Provision of one no. Injection well and drainage system in Hafed Complex at Baraguda Distt.Sirsa	6,95,930	13,919	1.5 Month
2.	Repair and renovation of DM office building at Hafed Complex near Madhuban Park at Hisar	8,36,662	16,733	2.5 Month

NOTE: 1. The agency should have executed at least one work of 80% amount OR two works of 50% amount OR three works of 40% amount of similar nature.

2. Potable and wholesome water is to be used for construction and curing work.

Tenders can be purchased/downloaded on 15.04.2013 (upto 1.30 PM) and will be received on 15.04.2013 (upto 3.00 P.M.) at XEN Hafed Hisar office. The tenders will be opened on 15.04.2013 (at 3.30 P.M.) at Hisar. Please visit our website: www.hafed.gov.in

Sealed item rate tenders on prescribed forms are invited from the approved contractors/societies borne on the approved list of appropriate class of contractors/societies for specific nature of work, in PWD(B&R) Haryana, MES, Railways, CPWD, HUDA, HSAMB, Haryana Warehousing Corporation, HPHC or any other State/Centre Govt. Deptt/Board/Corporation for the above mentioned works, in sealed envelope on 15.04.2013 upto 3.00 P.M from the office of the XEN Hafed Hisar and the same will be opened 15.04.2013 at 3.30 P.M. respectively in the office of XEN Hafed Hisar in the presence of intending contractors or their authorized representatives, who may choose to attend for the purpose.

Tender documents can be obtained on making prescribed payment of:-

Rs. 500/- for the works costing upto Rs.5.00 lacs

Rs.1000/-for the works costing above Rs.5.00 lacs upto Rs.25.00 lacs.

Rs.5000/- for the works costing above Rs.25.00 lacs upto Rs.1.00 Crore

Rs. 15000/- for the works above Rs.1.00 Crore upto Rs.5.00 Crores.

Rs. 20000/- for the works above Rs.5.00 Crore upto Rs.50.00 Crores.

Rs. 50000/- for the works more than Rs.50.00 Crores.

(Non Refundable) through separate Bank Draft in favour of **“The Haryana State Cooperative Supply and Marketing Federation Ltd., payable at Hisar”** from the office of the XEN Hafed Hisar. The contractual agencies can submit their documents

through registered AD post/speed post but these must reach in the office of XEN, Hafed, Hisar before one day prior to opening of tender and the responsibility of delay on account of postage shall rest with the agency. The contractors can also download the tender documents from our website: www.hafed.gov.in. For the tenders downloaded from the website, tender cost shall be deposited with earnest money in the separate envelope.

The tenderers should submit tender in two envelop systems the 1st one containing earnest money/cost of tender fee and other required documents and 2nd one containing the price bid. After checking the tender fee and the earnest money, the price bid will be opened. If the cost of tender fee and earnest money draft is not found proper, the price bid will not be opened.

ELIGIBILITY, TERMS AND CONDITIONS:-

1. DNIT can be seen on any working day during office hours in the office of the XEN Hafed, Hisar and can be downloaded from our website: www.hafed.gov.in
2. Conditional tenders will not be entertained and are liable to be rejected.
3. In case the day of receipt of tenders / opening of tenders happens to be a holiday, the next working day will be treated for sale of tenders /opening of tenders. The time and place of receipt of tenders/opening of tenders and other conditions will remain unchanged.
4. The amount of earnest money shall be same in case of cooperative labour & construction societies as well as other contractors.
5. **Hafed will take the Earnest money in the shape of Bank draft in favour of “The Haryana State Cooperative Supply and Marketing Federation Ltd., payable at Hisar”.**
6. The contractors/agencies must specify their Income Tax Permanent Account Number (PAN) and postal pin code on the tender form.
7. The validity of the tender is 90 days extendable by 45 days purely at the discretion of Hafed. The contractors who modify their rates, terms and conditions or withdraw within the validity period of tenders, their tenders are liable to be rejected and earnest money will be forfeited.”
8. Hafed reserves the right to accept or reject any or all offers without assigning any reason.

**MANAGING DIRECTOR,
HAFED, PANCHKULA**

DNIT OF CONSTRUCTION CC RAMP AND PROVISION ONE NOS. INJECTION WELL AND DRAINAGE SYSTEM IN HAFED COMPLEX AT BARAGUDA(DISTT. SIRSA).

TENDER AMOUNT:- Rs.6,95,930.00
EARNEST MONEY:- Rs. 13,919.00
TIME LIMIT:- 1.5 MONTHS
DATE OF OPENING OF TENDER :- 15.04.2013

<u>S. No.</u>	<u>HSR</u>	<u>DESCRIPTION</u>	<u>QTY.</u>	<u>RATE</u>	<u>UNIT</u>	
1	6.6	Earth work in Excavation in foundations, trenches, etc. in all kinds of soils, not exceeding 2 meters depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15cm layers with compaction, including disposal of all surplus soil, as directed within a lead of 30 meters.	151.67	1108.10	% CUM	
2	10.26	Cement concrete 1:8:16 with brick ballast 40mm nominal size in foundation and plinth	0.96	354.05	CUM	
3	13.33	Cement concrete 1:6:12 with stone aggregate 20mm nominal size	28.53	365.65	CUM	
4	11.2	first class brick work laid in cement sand mortar 1:6 in foundation and plinth	3.79	393.45	CUM	
5	15.6	12 mm thick cement plaster 1:5	6.32	11.60	Sqm	
6	24.1	PREPARATION OF SUB GRADE COMPLETE AS PER HSR.	232.71	92.45	% sqm	
7	10.34	CC 1:5:10 WITH STONE AGGREGATE 40 mm SIZE IN F/P AS PER HSR	26.58	354.05	Cum	
8	10.42+ 10.132 DR	CC 1:1.5:3 WITH STONE AGREEGATE OF 20 mm NOMINAL SIZE FOR TAXI TRACK COMPLETE AS PER HSR.	42.96	729.25	Cum	
9	11.4	first class brick work laid in cement sand mortar 1:4 in foundation and plinth	16.94	424.60	Cum	
10	10.41	CC 1:2:4 in 20 mm stone agreegate as per HSR	25.67	615.60	Cum	
11	10.32	Cement concrete 1:6:12 with stone ballast 40mm nominal size in foundation and plinth	2.44	348.25	Cum	
12	15.5	12 mm thick cement plaster 1:4 As per HSR	45.27	12.70	Sqm	
13	28.50 b	pdg. / placing in horizontal layer filtering media screened washed and cleaned as per HSR size 3 to 6 mm (second layer)	8.82	288.20	cum	
14	28.60 IIND ED	pdg. / Laying , cutting and jointing RCC NP2 pipe as per HSR	32.00	414.00	mtr	
		<u>NON SCHDULE ITEMS</u>		DNIT RATE	UNIT	RATE TO BE QOUTED BY AGENCY
1	NS	FILLING OF EXPENSITION WITH ACC SHEET AS PER REQUIREMENT AT SITE COMPLETE AS PER DESIGN.	104.85	42.00	MTR	
2	NS	Supply and placing of fine gravels 2 to 4 mm th	8.82	2120.00	Cum	
3	NS	Supply and placing of coarse gravels 4 – 8 mm	8.82	1554.00	Cum	
4	NS	Supply and placing of boulders/ pebels 10 to 15 mm th	13.23	1025.00	Cum	
5	NS	Supply and placing of fine gravels	7.39	1484.00	Cum	
6	NS	Boring of 500 mm dia bore and loring of 150 mm dia MS pipe.	41.25	1250.00	Mtr	
7	NS	Supply of MS Blind pipe 150 mm dia (medium) as per ISI specification. B class	35.00	1259.00	Mtr	
8	NS	Jhonson slotted pipe of 150 mm dia sloted pipe	8.00	1668.00	Mtr	
9	NS	Supply of MS bail plug 150 mm dia	1	604.00	Nos.	

10	NS	Supply of MS socket 150 mm dia	9	403.00	Each	
11	NS	Supply of MS clamp (Heavy) 150 mm dia	1	1006.00	Each	
12	NS	Supply of MS cap with nuts and bolts	1	431.00	Each	
13	NS	Development of bore	8.00	800.00	Hrs	
14	NS	Providing 100 mm dia slotted pipe 2 mtr. Long medium quality on both sides (welding) with 150 mm dia main pipe.	1	5750.00	Per job	

NOTE:

1. The agency should have executed at least one work of 80 % amount or two works of 50% amount or three works of 40% amount of similar nature.
2. Potable and wholesome water is to be used for construction and curing work.
3. The descriptions of items are given in brief which may be read complete as per chapter no. mentioned according to HSR 1988.
4. The sanctioned ceiling premium are applicable as per Haryana Gazette Notification dated 22.11.2011 as applicable w.e.f. 22.11.2011 as got approved by Hr. PWD B & R Deptt.
5. No premium will be allowed on N.S. items.
- 6 . The rates of HSR Items depicted in the DNIT are basic rates without sanctioned ceiling premium.

HDM

HAFED HISAR

APPROVED

EXECUTIVE ENGINEER

HAFED, HISAR

DNIT OF REPAIR AND RENOVATION OF DM OFFICE BUILDING AT HAFED COMPLEX NEAR MADHUBAN PARK, HISAR.

TENDER AMOUNT:- 8,36,662/-
EARNEST MONEY:- 16,733/-
TIME LIMIT:- 2.5 MONTHS
DATE OF OPENING OF TENDER :- 15.04.2013

S.No.	HSR	DESCRIPTION	QTY.	RATE	UNIT	
1	6.6	Earth work in Excavation in foundations, trenches, etc. in all kinds of soils, not exceeding 2 meters depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15cm layers with compaction, including disposal of all surplus soil, as directed within a lead of 30 meters.	14.30	1108.10	% CUM	
2	10.26	Cement concrete 1:8:16 with brick ballast 40mm nominal size in foundation and plinth.	35.21	300.20	CUM	
3	8.28	Dismantling of flat brick flooring.	74.16	1.70	SQM	
4.	8.5 b	Dismantling of brick work in cement sand mortar.	1.94	35.60	CUM	
5.	8.32 e	Scraping of bricks.	1780	83.10	Per 1000 Nos.	
6.	8.6 f	Dismantling of RCC work.	1.52	108.05	CUM	
7.	8.18	Dismantling of door chowkhats. I) Doors.	5	11.90	EACH	
		II) Window	8	7.55	EACH	
		III) Ventilator	3	3.80	EACH	
8.	8.15	Dismantling of ACC sheet or other hard board ceiling/partition wall as per HSR.	41.08	2.40	SQM	
9.	8.32 a	Scraping of white wash/ color wash as per HSR.	376.96	0.45	SQM	
10.	10.42	CC 1:1.5:3 with stone aggregate as per hsr.	4.08	702.50	CUM	
11.	10.114	DPC 1:2:4 as per hsr	1.23	35.05	SQM	
12.	11.2	first class brick work laid in cement sand mortar 1:6 in foundation and plinth.	6.62	393.45	CUM	
13.	11.7	First class brick work laid in cement sand mortar 1:6 in first storey up to 4 meters above plinth level (0' to 13')	4.87	414.45	CUM	
14.	14.1	Base course with CC 1:8:16 100 mm and sand filling 100 mm under floor.	74.16	36.95	SQM	
15.	14.62	Kota stone flooring as per HSR.	74.16	201.95	SQM	
16.	14.66	Skirting with kota stone as per HSR.	3.51	237.00	SQM	
17.	14.89 II ED.	Providing and fixing of vitrified tiles on floor of approved make as per HSR.	157.04	924.30	SQM	
18.	14.90 II ED.	Providing and fixing of vitrified tiles on floor skirting of approved make as per HSR.	10.18	929.80	SQM.	
19.	14.92 II ED.	Providing and fixing of glaze tile on wall of first quality of approved make as per HSR.	127.05	501.75	SQM	
20.	14.9 + 15.75	Conglomerate floor 40 mm thick cement concrete topping 1:2:4 with floating coat 1.5 mm neat cement.	55.74	35.75	SQM	

21.	15.5	12 mm thick cement plaster 1:4 (0' to 13')	21.20	12.70	Sqm	
22.	15.10	15 mm thick cement plaster 1:4 (0' to 13')	21.20	15.65	Sqm	
23.	18.1 C	Steel work, fixed independently without connecting plates, including cutting, hoisting and fixing in position in (c) tees, angles and channels	13.53	964.10	QTL	
24.	16.51	Preparation of plastered surfaces for distempering including sand papering the surface, applying filling with approved quality filler, consisting of plaster of Paris and chalk mitti inc. finishing the surface of the required finish complete.	419.36	3.95	SQM	
25.	16.52	Preparation of plastered surfaces for oil bound distemper including papering the surface, applying one coat of linseed oil, and filling with approved quality filler consisting of white lead, linseed oil, varnish, and chalk mitti as per HSR.	419.36	6.30	SQM	
26.	17.96 II ED.	Providing and fixing of aluminum work for doors windows, ventilators and and partitions as per HSR.	327.03	253.70	KG	
27.	17.97 b II Ed.	Providing and fixing of 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle as per HSR. (b) Prelaminated particle board with decorative lamination on both sides.	27.94	780.30	SQM	
28.	17.98 b II ED.	Providing and fixing glazing in alluminium door windows, ventilator shutter and partitions etc. with pvc/neoprene gasket etc. complete as per HSR. (b) with float glass panes of 5.0 mm thickness	15.75	700	SQM.	
		<u>NON SCHEDULE ITEMS</u>		DNIT RATE	UNIT	RATE QOUT AGEN
1.	NS	Providing and fixing FRP sheet including cost of sheet with M.S sq bars complete in all respects.	85.07	1200	SQM	
	NS	Providing and fixing FRP sheet excluding cost of sheet with M.S sq bars complete in all respects in gutter.	103.15	900	SQM	
2.	NS	Recovery of old brick recovered from dismantling brick work.	1780	3.15	EACH	
3.	NS	Recovery of old brick bats total quantity of brick work after dismantled .	7.42	319	CUM	

NOTE:

- The agency should have executed at least one work of 80 % amount or two works of 50% amount or three works of 40% amount of similar nature.
- Potable and wholesome water is to be used for construction and curing work.
- The descriptions of items are given in brief which may be read complete as per chapter no. mentioned according to HSR 1988.
- The sanctioned ceiling premium are applicable as per Haryana Gazette Notification dated 22.11.2011 as applicable w.e.f. 22.11.2011 as got approved by Hr. PWD B & R Deptt.
- No premium will be allowed on N.S. items.
- The rates of HSR Items depicted in the DNIT are basic rates without sanctioned ceiling premium.

APPROVED

HDM

HAFED HISAR

EXECUTIVE ENGINEER

HAFED HISAR